PB86-147535

Definition of a Hazardous Waste

(U.S.) Environmental Protection Agency
Cincinnati, OH

Jan 86



U.S. Department of Commerce
National Technical Information Service
NTIS

EPA/600/D-86/018
January 1986

DEFINITION OF A HAZARDOUS WASTE

PB86-147535

Ronald D. Hill
Director
Land Pollution Control Division
Hazardous Waste Engineering Research Laboratory
Cincinnati, Ohio 45268

HAZARDOUS WASTE ENGINEERING RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
CINCINNATI, OHIO 45268

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA *(Please read Instructions on the reverse before completing)*		
1. REPORT NO. EPA/600/D-86/018	2.	3. RECIPIENT'S ACCESSION NO. PB86 147535/AS
4. TITLE AND SUBTITLE DEFINITION OF A HAZARDOUS WASTE		5. REPORT DATE January 1986 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Ronald D. Hill		8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. Environmental Protection Agency 26 West St. Clair Street Cincinnati, Ohio 45268		10. PROGRAM ELEMENT NO. BRD1A 11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Hazardous Waste Engineering Research Laboratory Office of Research and Development U.S. Environmental Protection Agency Cincinnati, Ohio 45268		13. TYPE OF REPORT AND PERIOD COVERED 14. SPONSORING AGENCY CODE EPA/600/12
15. SUPPLEMENTARY NOTES Project Officer: Ronald D. Hill, Phone (513) 569-7861		

16. ABSTRACT

The USEPA has promulagated regulation establishing the criteria and characteristics of hazardous waste. The criteria established include the following factors: 1) the waste is associated with an identified waste stream or contains constituents which are identified in listings in the federal register 2) the waste exhibits characteristics of hazardous waste as identified by a series of analytical tests 3) the wastes are designated at Acute Hazardous Waste by toxicity tests. The analytical tests relate to ignitability, corrosivity, reactivity and extraction procedure test. The toxicity tests relate to oral and dermal LD 50 tests. The European Economic Community (EEC) countries have established a list of Toxic and Dangerous Waste but each EEC country has a different interpretation of the definition of these wastes. The USEPA has also developed a manifest system which is required for tracking the transportation of hazardous waste from the generator, through processing to the ultimate disposal.

17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC	19. SECURITY CLASS *(This Report)* UNCLASSIFIED 20. SECURITY CLASS *(This page)* UNCLASSIFIED	21. NO. OF PAGES 22. PRICE

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

NOTICE

This document has been reviewed in accordance with U.S. Environmental Protection Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

FOREWORD

Today's rapidly developing and changing technologies and industrial products and practices frequently carry with them the increased generation of solid and hazardous wastes. These materials, if improperly dealt with, can threaten both public health and the environment. Abandoned waste sites and accidental releases of toxic and hazardous substances to the environment also have important environmental and public health implications. The Hazardous Waste Engineering Research Laboratory assists in providing an authoritative and defensible engineering basis for assessing and solving these problems. Its products support the policies, programs, and regulations of the Environmental Protection Agency, the permitting and other responsibilities of State and local governments, and the needs of both large and small business in handling their wastes responsibly and economically.

This paper describes EPA's current authority and regulations for defining hazardous waste and its minifest system. In addition, a brief review is made of European definitions of hazardous waste. The report was developed as a resource document for a joint USEPA/Spain Seminar on the Treatment and Disposal of Hazardous Waste to be held in Spain in May 1986.

William A. Cawley, Acting Director
Hazardous Waste Engineering Research Laboratory

ABSTRACT

The U.S. Environmental Protection Agency has promulgated regulation establishing the criteria and characteristics of hazardous waste. The criteria established include the following factors: (1) the waste is associated with an identified waste stream or contains constituents which are identified in listings in the Federal Register; (2) the waste exhibits characteristics of hazardous waste as identified by a series of analytical tests; (3) the wastes are designated as Acute Hazardous Waste by toxicity tests. The analytical tests relate to ignitability, corrosivity, reactivity, and extraction procedure tests. The toxicity tests relate to oral and dermal LD 50 tests. The European Economic Community (EEC) countries have established a list of Toxic and Dangerous Waste but ecah EEC country has a different interpretation of the definition of these wastes. The USEPA has also developed a manifest system which is required for tracking the transportation of hazardous waste from the generator, through processing, to the ultimate disposal.

TABLE OF CONTENTS

Foreword iii

Abstract iv

Introduction 1

Criteria for Listing Hazardous Waste 1

Characteristics of Hazardous Waste 2

European Definition of a Hazardous Waste 2

List of Toxic and Dangerous Waste 3

U.S. Manifest System 3

References 5

Table 1 - Listing of Hazardous Waste 6

DEFINITION OF A HAZARDOUS WASTE

by

Ronald D. Hill
Director
Land Pollution Control Division
Hazardous Waste Engineering Research Laboratory
U.S. Environmental Protection Agency

Introduction

In 1976 the Congress of the United States enacted Public Law 94-580, the "Resource Conservation and Recovery Act of 1976" (RCRA). Under Section 3001 of that Act, the U.S. Environmental Protection Agency (USEPA) was required to "develop and promulgate criteria for identifying the characteristics of hazardous waste and for listing hazardous wastes, ..., taking into account toxicity, persistence, and degradability in nature, potential for accumulation in tissue, and other related factors such as flammability, corrosiveness, and other hazardous characteristics."[1] Furthermore, the USEPA was required to promulgate regulations identifying the characteristics of hazardous wastes, and listing particular hazardous wastes.

In response to these requirements, the USEPA promulgated regulations establishing the criteria and characteristics of hazardous waste in May 1980.[2,3]

Criteria for Listing Hazardous Waste

The criteria established by the USEPA included the following factors:

1. Exhibits characteristics of hazardous waste (discussed later).

2. The solid waste has been found to be fatal to humans in low doses or it has been shown in studies to have an oral LD50 toxicity on rats of less than 2 mg/l, or a dermal LD50 toxicity in rabbits of less than 200 mg. These wastes are to be designated as Acute Hazardous Waste.

3. The waste has any of the constituents listed in Table 1* unless the USEPA concludes that the waste is not capable of posing a hazard to human health or the environment when improperly treated, stored, transported, or disposed because of (a) the concentration of the constituent in the waste; (b) the nature of the toxicity presented by the constituent; (c) the persistence of the constituent of any toxic degradation product; (d) the degree to which the constituents or any degradation product of the constituent bioaccumulates in ecosystems; (e) the quantities of waste generated at individual generation sites, or on a regional or national bases.

*All constituents in Table 1 have been shown in scientific studies to have toxic carcinogenic, mutagenic, or teratogenic effects on humans or other life forms.

Characteristics of Hazardous Waste

Ignitability

A solid waste exhibits the characteristics of ignitability if: (1) it is a liquid and has a flash point less than 60°C; (2) it is not a liquid, and under standard temperature and pressure is capable of causing fire through friction, absorption of moisture, or spontaneous chemical changes, and when ignited, burns so vigorously and persistently that it creates a hazard; (3) it is an ignitable compressed gas; (4) it is a strong oxidizer.

Corrosivity

A solid waste exhibits the characteristics of corrosivity if: (1) it is aqueous and has a pH less than or equal to 2, or greater than or equal to 12.5; (2) it is a liquid and corrodes steel at a rate greater than 6.35 mm per year.

Reactivity

A solid waste exhibits the characteristic of reactivity if: (1) it is normally unstable and readily undergoes violent change without detonating; (2) it reacts violently with water; (3) it forms a potentially explosive mixture with water; (4) when mixed with water it generates toxic gases, vapors, or fumes in a quantity sufficient to present a danger; (5) it is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapors, or fumes; (6) it is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement or at standard temperature and pressure; (7) it is a forbidden explosive.

EP Toxicity

The extraction procedure (EP) is a test specified by the USEPA in which a sample of the solid waste is extracted with a volume of deionized water adjusted to a pH of 5 by agitation for 24 hours at 20 to 40°C. The liquid is then separated and analyzed. If any of the contaminants in the sample shown in the following table are equal or greater than the listed concentration, the waste is hazardous. The purpose of the EP test is to simulate the disposal of a solid waste into a municipal landfill.

Arsenic	- 5.0 mg/l	Barium	- 100.0 mg/l
Cadmium	- 1.0 mg/l	Chromium	- 5.0 mg/l
Lead	- 5.0 mg/l	Mercury	- 0.2 mg/l
Selenium	- 1.0 mg/l	Silver	- 5.0 mg/l
Endrin	- 0.02 mg/l	Lindana	- 0.4 mg/l
Methoxychlor	- 10.0 mg/l	Toxaphene	- 0.5 mg/l
2, 4-D	- 10.0 mg/l	2, 4, 5-TP (Silvex)	- 1.0 mg/l

European Definition of a Hazardous Waste

The European Community (EEC) defines "toxic and dangerous" waste as any waste containing or contaminated by the substance or materials listed in the

following table of such nature, in such quantities, or in such concentrations as to constitute a risk to health or the environment. The list is recognized to be incomplete but does contain the priority materials.

List of Toxic and Dangerous Waste

Arsenic and its compounds
Cadmium and its compounds
Beryllium and its compounds
Lead and its compounds
Phenols and phenolic compounds
Isocyanates
Chlorinated solvents
Biocides and phytopharmaceutical compounds
Pharmaceutical compounds
Ethers
Asbestos dust and fibers
Tellurium and its compounds
Carcinogenic polycyclic aromatic hydrocarbons
Metal carbonyls
Acids and/or basic materials used in the surface treatment and finishing of metals
Mercury and its compounds
Thallium and its compounds
Hexavalent chromium compounds
Antimony and its compounds
Organic and inorganic cyanides
Other organo-halogen compounds (excluding inert polymeric materials)
Organic solvents
Tarry materials from refining and tar residues from distilling
Peroxides, chlorates, perchlorates, and azides
Chemical laboratory materials not identifiable and/or new, whose effect on the environment is not known
Selenium and its compounds
Soluble copper compounds

Each individual EEC country has a different interpretation of the definition of toxic and dangerous waste in national legislation. The waste may be defined by type or source (West Germany), by type (Denmark and France), by inclusive list of potentially harmful components (Belgium and The Netherlands), or to criteria relating to their properties (United Kingdom), or with no concentration limits (Ireland).[4]

U.S. Manifest System

The manifest system is a mechanism required by RCRA for tracking the transportation of hazardous waste from the generator, through processing, to ultimate disposal. The most recent regulations governing the manifest system were issued by the USEPA in March 1984.[5]

Responsibility for initiating the manifest lies with the hazardous waste generator. He must first determine if the waste he generates or imports is hazardous as defined above. Once he has determined his waste is hazardous, he must notify the USEPA and obtain an identification number. Without a number no generator may treat, store, or dispose of any hazardous waste. Generators who transport waste off-site must prepare a manifest before the waste can be transported. Once the manifest is prepared the generator signs the document, obtains the signature of the transporter, and files one copy. The transporter takes the rest of the copies. The generator must keep his copy until he receives a copy from the designated treatment, storage, or disposal facility. If he does not receive a copy within 45 days, the generator must notify the USEPA and

attempt to locate the waste. The generator is responsible for the waste at all times. The transporter must also have a USEPA identification as well as the treater, storer, disposer, and transportation terminal. The transporter is responsible for the manifest as long as he has the waste, and must have the facility receiving the waste sign the manifest that it has been accepted. A copy is then returned to the generator. In fact, any time the waste changes hands, the manifest must remain with the waste and a signed copy returned to the generator. It is in this way that waste is tracked and controlled from "cradle to grave."

References

1. Public Law 94-580, "Resource Conservation and Recovery Act of 1976," 94th Congress, Washington, D.C., Oct. 1976.

2. "Criteria for Identifying the Characteristics of Hazardous Waste and for Listing Hazardous Waste," Federal Register, Vol. 45, No. 98, p. 33121, Washington, D.C., May 19, 1980.

3. "Characteristics of Hazardous Waste," Federal Register, Vol. 45, No. 98, pp. 33121-33133, Washington, D.C., May 19, 1980.

4. Mills, David A. "National Hazardous Waste Management Practices in Western Europe," Chemistry and Industry, 6, June 1983.

5. "Hazardous Waste Management System: General, Standards for Generators of Hazardous Waste," Federal Register, Vol. 49, No. 55, Washington, D.C., March 20, 1984.

TABLE 1

§ 261.31 Hazardous waste from nonspecific sources.

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
Generic:		
F001	The spent halogenated solvents used in degreasing, tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and the chlorinated fluorocarbons; and sludges from the recovery of these solvents in degreasing operations.	(T)
F002	The spent halogenated solvents, tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, o-dichlorobenzene, trichlorofluoromethane and the still bottoms from the recovery of these solvents.	(T)
F003	The spent non-halogenated solvents, xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, n-butyl alcohol, cyclohexanone, and the still bottoms from the recovery of these solvents.	(I)
F004	The spent non-halogenated solvents, cresols and cresylic acid, nitrobenzene, and the still bottoms from the recovery of these solvents	(T)
F005	The spent non-halogenated solvents, methanol, toluene, methyl ethyl ketone, methyl isobutyl ketone, carbon disulfide, isobutanol, pyridine and the still bottoms from the recovery of these solvents.	(I, T)
F006	Wastewater treatment sludges from electroplating operations	(T)
F007	Spent plating bath solutions from electroplating operations	(R, T)
F008	Plating bath sludges from the bottom of plating baths from electroplating operations	(R, T)
F009	Spent stripping and cleaning bath solutions from electroplating operations	(R, T)
F010	Quenching bath sludge from oil baths from metal heat treating operations	(R, T)
F011	Spent solutions from salt bath pot cleaning from metal heat treating operations	(R, T)
F012	Quenching wastewater treatment sludges from metal heat treating operations	(T)
F013	Flotation tailings from selective flotation from mineral metals recovery operations	(T)
F014	Cyanidation wastewater treatment tailing pond sediment from mineral metals recovery operations	(T)
F015	Spent cyanide bath solutions from mineral metals recovery operations	(R, T)
F016	Dewatered air pollution control scrubber sludges from coke ovens and blast furnaces	(T)

§ 261.32 Hazardous waste from specific sources.

Industry and EPA hazardous waste No.	Hazardous waste	Hazard code
Wood Preservation: K001	Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol	(T)
Inorganic Pigments:		
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments	(T)
K003	Wastewater treatment sludge from the production of molybdate orange pigments	(T)
K004	Wastewater treatment sludge from the production of zinc yellow pigments	(T)
K005	Wastewater treatment sludge from the production of chrome green pigments	(T)
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous and hydrated)	(T)
K007	Wastewater treatment sludge from the production of iron blue pigments	(T)
K008	Oven residue from the production of chrome oxide green pigments	(T)
Organic Chemicals:		
K009	Distillation bottoms from the production of acetaldehyde from ethylene	(T)
K010	Distillation side cuts from the production of acetaldehyde from ethylene	(T)
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile	(R, T)
K012	Still bottoms from the final purification of acrylonitrile in the production of acrylonitrile	(T)
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile	(R, T)
K014	Bottoms from the acetronitrile purification column in the production of acrylonitrile	(T)
K015	Still bottoms from the distillation of benzyl chloride	(T)
K016	Heavy ends or distillation residues from the production of carbon tetrachloride	(T)
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin	(T)
K018	Heavy ends from fractionation in ethyl chloride production	(T)
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production	(T)
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production	(T)
K021	Aqueous spent antimony catalyst waste from fluoromethanes production	(T)
K022	Distillation bottom tars from the production of phenol/acetone from cumene	(T)
K023	Distillation light ends from the production of phthalic anhydride from naphthalene	(T)
K024	Distillation bottoms from the production of phthalic anhydride from naphthalene	(T)
K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene	(T)
K026	Stripping still tails from the production of methyl ethyl pyridines	(T)
K027	Centrifuge residue from toluene diisocyanate production	(R, T)
K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane	(T)
K029	Waste from the product stream stripper in the production of 1,1,1-trichloroethane	(T)
K030	Column bottoms or heavy ends from the combined production of trichloroethylene and perchloroethylene	(T)
Pesticides:		
K031	By-products salts generated in the production of MSMA and cacodylic acid	(T)
K032	Wastewater treatment sludge from the production of chlordane	(T)
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane	(T)
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane	(T)
K035	Wastewater treatment sludges generated in the production of creosote	(T)
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton	(T)
K037	Wastewater treatment sludges from the production of disulfoton	(T)
K038	Wastewater from the washing and stripping of phorate production	(T)
K039	Filter cake from the filtration of diethylphosphorodithoric acid in the production of phorate	(T)
K040	Wastewater treatment sludge from the production of phorate	(T)
K041	Wastewater treatment sludge from the production of toxaphene	(T)
K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T	(T)
K043	2,6-Dichlorophenol waste from the production of 2,4-D	(T)
Explosives:		
K044	Wastewater treatment sludges from the manufacturing and processing of explosives	(R)
K045	Spent carbon from the treatment of wastewater containing explosives	(R)
K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds	(T)
K047	Pink/red water from TNT operations	(R)
Petroleum Refining:		
K048	Dissolved air flotation (DAF) float from the petroleum refining industry	(T)
K049	Slop oil emulsion solids from the petroleum refining industry	(T)
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry	(T)
K051	API separator sludge from the petroleum refining industry	(T)
K052	Tank bottoms (leaded) from the petroleum refining industry	(T)
Leather Tanning Finishing:		
K053	Chrome (blue) trimmings generated by the following subcategories of the leather tanning and finishing industry: hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.	(T)

Hazard Code Key:
(I) Ignitable waste
(C) Corrosive waste
(E) EP Toxic waste
(R) Reactive waste
(T) Toxic waste

Hazardous waste No.	Substance [1]
P031	Cyanogen
P032	Cyanogen bromide
P033	Cyanogen chloride
	Cyclodan see P050
P034	2-Cyclohexyl-4,6-dinitrophenol
	D-CON see P001
	DETHMOR see P001
	DETHNEL see P001
	DFP see P043
P035	2,4-Dichlorophenoxyacetic acid (2,4-D)
P036	Dichlorophenylarsine
	Dicyanogen see P031
P037	Dieldrin
	DIELDREX see P037
P038	Diethylarsine
P039	0,0-Diethyl-S-[2-(ethylthio)ethyl]ester of phosphorothioic acid
P040	0,0-Diethyl-0-(2-pyrazinyl)phosphorothioate
P041	0,0-Diethyl phosphoric acid, 0-p-nitrophenyl ester
P042	3,4-Dihydroxy-alpha-(methylamino)-methyl benzyl alcohol
P043	Di-isopropylfluorophosphate
	DIMETATE see P044
	1,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro endo, endo see P060
P044	Dimethoate
P045	3,3-Dimethyl-1-(methylthio)-2-butanone-O-[(methylamino)carbonyl] oxime
P046	alpha,alpha-Dimethylphenethylamine
	Dinitrocyclohexylphenol see P034
P047	4,6-Dinitro-o-cresol and salts
P048	2,4-Dinitrophenol
	DINOSEB see P020
	DINOSEBE see P020
	Disulfoton see P039
P049	2,4-Dithiobiuret
	DNBP see P020
	DOLCO MOUSE CEREAL see P108
	DOW GENERAL see P020
	DOW GENERAL WEED KILLER see P020
	DOW SELECTIVE WEED KILLER see P020
	DOWICIDE G see P090
	DYANACIDE see P092
	EASTERN STATES DUOCIDE see P001
	ELGETOL see P020
P050	Endosulfan
P051	Endrin
	Epinephrine see P042
P052	Ethylcyanide
P053	Ethylenediamine
P054	Ethyleneimine
	FASCO FASCRAT POWDER see P001
	FEMMA see P091
P055	Ferric cyanide
P056	Fluorine
P057	2-Fluoroacetamide
P058	Fluoroacetic acid, sodium salt
	FOLODOL-60 see P071
	FOLODOL M see P071
	FOSFERNO M 50 see P071
	FRATOL see P058
	Fulminate of mercury see P065
	FUNGITOX OR see P092
	FUSSOF see P057
	GALLOTOX see P092
	GEARPHOS see P071
	GERUTOX see P020
P059	Heptachlor
P060	1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-endo, endo-dimethanonaphthalene
	1,4,5,6,7,7-Hexachloro-cyclic-5-norbornene-2,3-dimethanol sulfite see P050
P061	Hexachloropropene
P062	Hexaethyl tetraphosphate
	HOSTAQUICK see P092
	HOSTAQUIK see P092
	Hydrazomethane see P068
P063	Hydrocyanic acid
	ILLOXOL see P037
	INDOCI see P025
	Indomethacin see P025
	INSECTOPHENE see P050
	Isodrin see P060
P064	Isocyanic acid, methyl ester
	KILOSEB see P020
	KOP-THIODAN see P050
	KWIK-KIL see P108
	KWIKSAN see P092
	KUMADER see P001
	KYPFARIN see P001
	LEYTOSAN see P092
	LIQUIPHENE see P092
	MALIK see P050
	MAREVAN see P001
	MAR-FRIN see P001
	MARTIN'D MAR-FRIN see P001
	MAVERAN see P001
	MEGATOX see P005
P065	Mercury fulminate
	MERSOLITE see P092
	METACID 50 see P071
	METAFOS see P071
	METAPHOR see P071
	METAPHOS see P071
	METASOL 30 see P092
P066	Methomyl
P067	2-Methylaziridine
	METHYL-E 605 see P071
P068	Methyl hydrazine
	Methyl isocyanate see P064
P069	2-Methyllactonitrile
P070	2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) oxime
	METHYL NIRON see P042
P071	Methyl parathion
	METRON see P071
	MOLE DEATH see P108
	MOUSE-NOTS see P108
	MOUSE-RID see P108
	MOUSE-TOX see P108
	MUSCIMOL see P007
P072	1-Naphthyl-2-thiourea
P073	Nickel carbonyl
P074	Nickel cyanide
P075	Nicotine and salts
P076	Nitric oxide
P077	p-Nitroaniline
P078	Nitrogen dioxide
P079	Nitrogen peroxide
P080	Nitrogen tetroxide
P081	Nitroglycerine (R)
P082	N-Nitrosodimethylamine
P083	N-Nitrosodiphenylamine
P084	N-Nitrosomethylvinylamine
	NYLMERATE see P092
	OCTALOX see P037
P085	Octamethylpyrophosphoramide
	OCTAN see P092
P086	Oleyl alcohol condensed with 2 moles ethylene oxide
	OMPA see P085
	OMPACIDE see P085
	OMPAX see P085
P087	Osmium tetroxide
P088	7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid
	PANIVARFIN see P001
	PANORAM D-31 see P037
	PANTHERINE see P007
	PANWARFIN see P001
P089	Parathion
	PCP see P090
	PENNCAP-M see P071
	PENOXYL CARBON N see P048
P090	Pentachlorophenol
	Pentachlorophenate see P090
	PENTA-KILL see P090
	PENTASOL see P090
	PENWAR see P090
	PERMICIDE see P090
	PERMAGUARD see P090
	PERMATOX see P090
	PERMITE see P090
	PERTOX see P090
	PESTOX III see P085
	PHENMAD see P092
	PHENOTAN see P020
P091	Phenyl dichloroarsine
	Phenyl mercaptan see P014
P092	Phenylmercury acetate
P093	N-Phenylthiourea
	PHILIPS 1861 see P008
	PHIX see P092
P094	Phorate
P095	Phosgene
P096	Phosphine
P097	Phosphorothioic acid, 0,0-dimethyl ester, 0-ester with N,N-dimethyl benzene sulfonamide
	Phosphorothioic acid 0,0-dimethyl-0-(p-nitrophenyl) ester see P071
	PIED PIPER MOUSE SEED see P108
P098	Potassium cyanide
P099	Potassium silver cyanide
	PREMERGE see P020
P100	1,2-Propanediol
	Propargyl alcohol see P102
P101	Propionitrile
P102	2-Propyn-1-ol
	PROTHROMADIN See P001
	QUICKSAM see P092
	QUINTOX see P037
	RAT AND MICE BAIT see P001
	RAT-A-WAY see P001
	RAT-B-GON see P001
	RAT-O-CIDE #2 see P001
	RAT-GUARD see P001
	RAT-KILL see P001
	RAT-MIX see P001
	RATS-NO-MORE see P001
	RAT-OLA see P001
	RATOREX see P001
	RATTUNAL see P001
	RAT-TROL see P001
	RO-DETH see P001
	RO-DEX see P108
	ROSEX see P001
	ROUGH & READY MOUSE MIX see P001
	SANASEED see P108
	SANTOBRITE see P090
	SANTOPHEN see P090
	SANTOPHEN 20 see P090
	SCHRADAN see P085
P103	Selenourea
P104	Silver Cyanide
	SMITE see P105
	SPARIC see P020
	SPOR-KIL see P092
	SPRAY-TROL BRAND RODEN-TROL see P001
	SPURGE see P020
P105	Sodium azide
	Sodium coumadin see P001
P106	Sodium cyanide
	Sodium fluoroacetate see P058
	SODIUM WARFARIN see P001
	SOLFARIN see P001
	SOLFOBLACK BB see P048
	SOLFOBLACK SB see P048
P107	Strontium sulfide
P108	Strychnine and salts
	SUBTEX see P020
	SYSTAM see P085
	TAG FUNGICIDE see P092
	TEKWAISA see P071
	TEMIC see P070
	TEMIK see P070
	TERM-I-TROL see P090
P109	Tetraethyldithiopyrophosphate
P110	Tetraethyl lead
P111	Tetraethylpyrophosphate
P112	Tetranitromethane
	Tetraphosphonic acid, hexaethyl ester see P062
	TETROSULFUR BLACK PB see P048
	TETROSULPHUR PBR see P048
P113	Thallic oxide
	Thallium peroxide see P113
P114	Thallium selenite
P115	Thallium (I) sulfate
	THIFOR see P092
	THIMUL see P092
	THIODAN see P050
	THIOFOR see P050
	THIOMUL see P050
	THIONEX see P050
	THIOPHENIT see P071
P116	Thiosemicarbazide
	Thiosulfan tionel see P050
P117	Thiuram
	THOMPSON'S WOOD FIX see P090
	TIOVEL see P050
P118	Trichloromethanethiol
	TWIN LIGHT RAT AWAY see P001
	USAF RH-8 see P069
	USAF EK-4890 see P002
P119	Vanadic acid, ammonium salt
P120	Vanadium pentoxide
	VOFATOX see P071
	WANADU see P120
	WARCOUMIN see P001
	WARFARIN SODIUM see P001
	WARFICIDE see P001
	WOFOTOX see P072
	YANOCK see P057
	YASOKNOCK see P058
	ZIARNIK see P092
P121	Zinc cyanide
P122	Zinc phosphide (R,T)
	ZOOCOUMARIN see P001

[1] The Agency included those trade names of which it was aware; an omission of a trade name does not imply that the omitted material is not hazardous. The material is hazardous if it is listed under its generic name.

(f) The commercial chemical products or manufacturing chemical intermediates, referred to in paragraphs (a), (b) and (d) of this section, are identified as toxic wastes (T) unless otherwise designated and are subject to the small quantity exclusion defined in § 261.5 (a) and (b). These wastes and their corresponding EPA Hazardous Waste Numbers are:

Hazardous Waste No.	Substance[1]
	AAF see U005
U001	Acetaldehyde
U002	Acetone (I)
U003	Acetonitrile (I,T)
U004	Acetophenone
U005	2-Acetylaminofluorene
U006	Acetyl chloride (C,T)
U007	Acrylamide
	Acetylene tetrachloride see U209
	Acetylene trichloride see U228
U008	Acrylic acid (I)
U009	Acrylonitrile
	AEROTHENE TT see U226
	3-Amino-5-(p-acetamidophenyl)-1H-1,2,4-triazole, hydrate see U011
U010	6-Amino-1,1a,2,8,8a,8b-hexahydro-8-(hydroxymethyl)8-methoxy-5-methylcarbamate azirino(2',3':3,4) pyrrolo(1,2-a) indole-4, 7-dione (ester)
U011	Amitrole
U012	Aniline (I)
U013	Asbestos
U014	Auramine
U015	Azaserine
U016	Benz[c]acridine
U017	Benzal chloride
U018	Benz[a]anthracene
U019	Benzene
U020	Benzenesulfonyl chloride (C,R)
U021	Benzidine
	1,2-Benzisothiazolin-3-one, 1,1-dioxide see U202
	Benzo[a]anthracene see U018
U022	Benzo[a]pyrene
U023	Benzotrichloride (C,R,T)
U024	Bis(2-chloroethoxy)methane
U025	Bis(2-chloroethyl) ether
U026	N,N-Bis(2-chloroethyl)-2-naphthylamine
U027	Bis(2-chloroisopropyl) ether
U028	Bis(2-ethylhexyl) phthalate
U029	Bromomethane
U030	4-Bromophenyl phenyl ether
U031	n-Butyl alcohol (I)
U032	Calcium chromate
	Carbolic acid see U188
	Carbon tetrachloride see U211
U033	Carbonyl fluoride
U034	Chloral
U035	Chlorambucil
U036	Chlordane
U037	Chlorobenzene
U038	Chlorobenzilate
U039	p-Chloro-m-cresol
U040	Chlorodibromomethane
U041	1-Chloro-2,3-epoxypropane
	CHLOROETHENE NU see U226
U042	Chloroethyl vinyl ether
U043	Chloroethene
U044	Chloroform (I,T)
U045	Chloromethane (I,T)
U046	Chloromethyl methyl ether
U047	2-Chloronaphthalene
U048	2-Chlorophenol
U049	4-Chloro-o-toluidine hydrochloride
U050	Chrysene
	C.I. 22060 see U073
U051	Cresote
U052	Cresols
U053	Crotonaldehyde
U054	Cresylic acid
U055	Cumene
	Cyanomethane see U003
U056	Cyclohexane (I)
U057	Cyclohexanone (I)
U058	Cyclophosphamide
U059	Daunomycin
U060	DDD
U061	DDT
U062	Diallate
U063	Dibenz[a,h]anthracene
	Dibenzo[a,h]anthracene see U063
U064	Dibenzo[a,i]pyrene
U065	Dibromochloromethane
U066	1,2-Dibromo-3-chloropropane
U067	1,2-Dibromoethane
U068	Dibromomethane
U069	Di-n-butyl phthalate
U070	1,2-Dichlorobenzene
U071	1,3-Dichlorobenzene
U072	1,4-Dichlorobenzene
U073	3,3'-Dichlorobenzidine
U074	1,4-Dichloro-2-butene
	3,3'-Dichloro-4,4'-diaminobiphenyl see U073
U075	Dichlorodifluoromethane
U076	1,1-Dichloroethane
U077	1,2-Dichloroethane
U078	1,1-Dichloroethylene
U079	1,2-trans-dichloroethylene
U080	Dichloromethane
	Dichloromethylbenzene see U017
U081	2,4-Dichlorophenol
U082	2,6-Dichlorophenol
U083	1,2-Dichloropropane
U084	1,3-Dichloropropene
U085	Diepoxybutane (I,T)
U086	1,2-Diethylhydrazine
U087	0,0-Diethyl-S-methyl ester of phosphorodithioic acid
U088	Diethyl phthalate
U089	Diethylstilbestrol
U090	Dihydrosafrole
U091	3,3'-Dimethoxybenzidine
U092	Dimethylamine (I)
U093	p-Dimethylaminoazobenzene
U094	7,12-Dimethylbenz[a]anthracene
U095	3,3'-Dimethylbenzidine
U096	alpha,alpha-Dimethylbenzylhydroperoxide (R)
U097	Dimethylcarbamoyl chloride
U098	1,1-Dimethylhydrazine
U099	1,2-Dimethylhydrazine
U100	Dimethylnitrosoamine
U101	2,4-Dimethylphenol
U102	Dimethyl phthalate
U103	Dimethyl sulfate
U104	2,4-Dinitrophenol
U105	2,4-Dinitrotoluene
U106	2,6-Dinitrotoluene
U107	Di-n-octyl phthalate
U108	1,4-Dioxane
U109	1,2-Diphenylhydrazine
U110	Dipropylamine (I)
U111	Di-n-propylnitrosamine
	EBDC see U114
	1,4-Epoxybutane see U213
U112	Ethyl acetate (I)
U113	Ethyl acrylate (I)
U114	Ethylenebisdithiocarbamate
U115	Ethylene oxide (I,T)
U116	Ethylene thiourea
U117	Ethyl ether (I,T)
U118	Ethylmethacrylate
U119	Ethyl methanesulfonate
	Ethylnitrile see U003
	Firemaster T23P see U235
U120	Fluoranthene
U121	Fluorotrichloromethane
U122	Formaldehyde
U123	Formic acid (C,T)
U124	Furan (I)
U125	Furfural (I)
U126	Glycidylaldehyde
U127	Hexachlorobenzene
U128	Hexachlorobutadiene
U129	Hexachlorocyclohexane
U130	Hexachlorocyclopentadiene
U131	Hexachloroethane
U132	Hexachlorophene
U133	Hydrazine (R,T)
U134	Hydrofluoric acid (C,T)
U135	Hydrogen sulfide
	Hydroxybenzene see U188
U136	Hydroxydimethyl arsine oxide
	4,4'-(Imidocarbonyl)bis(N,N-dimethyl)aniline see U014
U137	Indeno(1,2,3-cd)pyrene
U138	Iodomethane
U139	Iron Dextran
U140	Isobutyl alcohol
U141	Isosafrole
U142	Kepone
U143	Lasiocarpine
U144	Lead acetate
U145	Lead phosphate
U146	Lead subacetate
U147	Maleic anhydride
U148	Maleic hydrazide
U149	Malononitrile
	MEK Peroxide see U160
U150	Melphalan
U151	Mercury
U152	Methacrylonitrile
U153	Methanethiol
U154	Methanol
U155	Methapyrilene
	Methyl alcohol see U154
U156	Methyl chlorocarbonate
	Methyl chloroform see U226
U157	3-Methylcholanthrene
	Methyl chloroformate see U156
U158	4,4'-Methylene-bis-(2-chloroaniline)
U159	Methyl ethyl ketone (MEK) (I,T)
U160	Methyl ethyl ketone peroxide (R)
	Methyl iodide see U138
U161	Methyl isobutyl ketone
U162	Methyl methacrylate (R,T)
U163	N-Methyl-N'-nitro-N-nitrosoguanidine
U164	Methylthiouracil
	Mitomycin C see U010
U165	Naphthalene
U166	1,4-Naphthoquinone
U167	1-Naphthylamine
U168	2-Naphthylamine
U169	Nitrobenzene (I,T)
	Nitrobenzol see U169
U170	4-Nitrophenol
U171	2-Nitropropane (I)
U172	N-Nitrosodi-n-butylamine
U173	N-Nitrosodiethanolamine
U174	N-Nitrosodiethylamine
U175	N-Nitrosodi-n-propylamine
U176	N-Nitroso-n-ethylurea
U177	N-Nitroso-n-methylurea
U178	N-Nitroso-n-methylurethane
U179	N-Nitrosopiperidine
U180	N-Nitrosopyrrolidine
U181	5-Nitro-o-toluidine
U182	Paraldehyde
	PCNB see U185
U183	Pentachlorobenzene
U184	Pentachloroethane
U185	Pentachloronitrobenzene
U186	1,3-Pentadiene (I)
	Perc see U210
	Perchlorethylene see U210
U187	Phenacetin
U188	Phenol
U189	Phosphorous sulfide (R)
U190	Phthalic anhydride
U191	2-Picoline
U192	Pronamide
U193	1,3-Propane sultone
U194	n-Propylamine (I)
U196	Pyridine
U197	Quinones
U200	Reserpine
U201	Resorcinol
U202	Saccharin
U203	Safrole
U204	Selenious acid
U205	Selenium sulfide (R,T)
	Silvex see U233
U206	Streptozotocin
	2,4,5-T see U232
U207	1,2,4,5-Tetrachlorobenzene
U208	1,1,1,2-Tetrachloroethane
U209	1,1,2,2-Tetrachloroethane
U210	Tetrachloroethene
	Tetrachloroethylene see U210
U211	Tetrachloromethane
U212	2,3,4,6-Tetrachlorophenol
U213	Tetrahydrofuran (I)
U214	Thallium (I) acetate
U215	Thallium (I) carbonate
U216	Thallium (I) chloride
U217	Thallium (I) nitrate
U218	Thioacetamide
U219	Thiourea
U220	Toluene
U221	Toluenediamine
U222	o-Toluidine hydrochloride

Hazardous Waste No.	Substance[1]
U223	Toluene diisocyanate
U224	Toxaphene
	2,4,5-TP see U233
U225	Tribromomethane
U226	1,1,1-Trichloroethane
U227	1,1,2-Trichloroethane
U228	Trichloroethene
	Trichloroethylene see U228
U229	Trichlorofluoromethane
U230	2,4,5-Trichlorophenol
U231	2,4,6-Trichlorophenol
U232	2,4,5-Trichlorophenoxyacetic acid
U233	2,4,5-Trichlorophenoxypropionic acid alpha, alpha, alpha- Trichlorotoluene see U023
	TRI-CLENE see U228
U234	Trinitrobenzene (R,T)
U235	Tris(2,3-dibromopropyl) phosphate
U236	Trypan blue
U237	Uracil mustard
U238	Urethane
	Vinyl chloride see U043
	Vinylidene chloride see U078
U239	Xylene